

Side View(Bendable)

LED Tape Light

Product Features

- 1. Flexible LED tape light with side light exit.
- 2. Use SMD3014 source which stronger than traditional SMD335 source.
- 3. Performance more stable and reliable than SMD335 side view LED strip.

EST-FS3014C-120-24-Y(Side View)

Color

3000 K	4000 K	5000 K	6500 K
-----------	-----------	-----------	-----------

Input DC Voltage

24VDC | 12VDC

LED Type

SMD3014

LED Qty.per meter

120 | 60

IP Index


IP20 | IP54 | IP67

Part Number:EST-FS3014C-120-24-Y(Side View)
Part Number:EST-FS3014C-120-12-Y(Side View)

Model	Color temp. Wave lengths	LM/M	Power/M	CRI (Ra)	FPC copper
EST-FS3014WW-120-24-Y	3000K	864LM	<9. 6W	80+	3OZ
EST-FS3014NW-120-24-Y	4000K	915LM	<9. 6W	80+	3OZ
EST-FS3014NW-120-24-Y	5000K	915LM	<9. 6W	80+	3OZ
EST-FS3014PW-120-24-Y	6500K	915LM	<9. 6W	80+	3OZ
EST-FS3014R-120-24-Y	620-625 NM NM	---	<9. 6W	---	3OZ
EST-FS3014Y-120-24-Y	585-590 NM NM	---	<9. 6W	---	3OZ
EST-FS3014G-120-24-Y	517-522 NM NM	---	<9. 6W	---	3OZ
EST-FS3014B-120-24-Y	465-470 NM NM	---	<9. 6W	---	3OZ





Strip length: CE: 500CM UL: 16.4FT



IP Rating:

- IP20---Non waterproof
- IP54---Nano coated
- IP67---Silicon tube(transparent)

Side View



Side View

Part Number:EST-FS3014RGB-120-24-Y(Side View)


Model	Wave lengths	LM/M	Power/M	FPC copper
EST-FS3014RGB-120-24-Y	620-625 NM NM 517-522 NM NM 465-470 NM NM	720LM	<23W	3OZ

Controller

Product No.	Description
4.02.127	12-24VDC 3A*3CH Max.9A 108W/216W(12V/24V)





Strip length: CE: 500CM UL: 16.4FT



IP Rating:

- IP20---Non waterproof
- IP54---Nano coated
- IP67---Silicon tube(transparent)




Part Number:EST-FS3014RGBW-120-24-Y(Side View)

Model	Wave lengths	LM/M	Power/M	FPC copper
EST-FS3014RGBW-120-24-Y	620-625 NM NM	565LM	<14.4W	30Z
	517-522 NM NM			
	465-470 NM NM			




Controller

Product No.	Description
4.02.127	12-24VDC 3A*3CH Max.9A 108W/216W(12V/24V)



Strip length: CE: 500CM UL: 16.4FT



IP Rating:

- ☒ IP20---Non waterproof
- ☒ IP54---Nano coated
- ☒ IP67---Silicon tube(transparent)

